




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : <b>G06F</b>		A2	(11) International Publication Number: <b>WO 99/04326</b>
			(43) International Publication Date: 28 January 1999 (28.01.99)
(21) International Application Number: PCT/US98/14540		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 14 July 1998 (14.07.98)			
(30) Priority Data: 60/052,597 15 July 1997 (15.07.97) US 08/967,383 8 November 1997 (08.11.97) US 09/023,918 13 February 1998 (13.02.98) US			
(71) Applicant (for all designated States except AL KP): NEOMEDIA TECHNOLOGIES, INC. [US/US]; Suite 600, 2201 Second Street, Fort Myers, FL 33901 (US).		Published Without international search report and to be republished upon receipt of that report.	
(71)(72) Applicants and Inventors (for AL KP only): DURST, Robert, T., Jr. [US/US]; 6111 Tidewater Island Circle, Fort Myers, FL 33908 (US). HUNTER, Kevin [US/US]; 8381 Arborfield Court, Fort Myers, FL 33912 (US).			
(74) Agent: TURNER, Roderick, S., W.; Anthony R. Barkume, P.C., Suite 200, 14 South Main Street, Sayville, NY 11782 (US).			

## (54) Title: PRINTED COUPONS WITH EMBEDDED DISCOUNTS FOR ONLINE PURCHASES

## (57) Abstract

A method for providing discounts in e-commerce transactions comprising printing a discount coupon (2) with human readable information describing the incentive, product, vendor, and a machine-readable symbol (2b) such as a linear or two-dimensional bar code symbol. The symbol is encoded with data fields comprising a first identifier associated with the Internet Protocol address of a vendor's computer, optionally, a second identifier associated with the discount applied to a product, optionally, a third identifier associated with the targeted consumer, and optionally, instructions to enable a computer to access a client program. The method also comprises the steps of disseminating the discount coupon (2); scanning the machine-readable coupon symbol; decoding the scanned data to generate the vendor's IP address; launching the client program to enable access to the online system; communicating with the vendor's host computer; and downloading a file from the vendor's host computer associated with the scanned coupon (2).



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

PRINTED COUPONS WITH EMBEDDED DISCOUNTS FOR ONLINE PURCHASESCROSS-REFERENCE TO RELATED APPLICATIONS

5                   This application claims priority of co-pending U.S.  
application serial number 08/967,383, filed November 8, 1997;  
and claims priority of co-pending U.S. application serial  
number 09/023,918, filed on February 13, 1998; and claims  
10                  priority of co-pending U.S. provisional application serial  
number 60/052,597, filed on July 15, 1997; all of which are  
assigned to the assignee of the present application and  
incorporated by reference herein.

TECHNICAL FIELD

15                  The present application relates to online commerce,  
and in particular to the use of printed coupons having  
purchase discounts embedded in machine-readable symbols such  
as bar codes that enable a user to obtain discounts for online  
purchases.

BACKGROUND ART

20                  Online commerce, in particular so called electronic  
commerce or "e-commerce", has promulgated due to the increased  
use of open online systems such as the Internet, as well as  
25                  proprietary online systems such as AMERICA ONLINE and  
COMPUSEVER. E-Commerce may be considered to be a method of  
executing a transaction by enabling two computers to exchange  
certain information such that a vendor will receive value in  
the form of payment, and the purchaser will, in exchange,  
30                  receive value in the form of products or services. Thus, for  
example, a typical e-commerce transaction on the Internet  
would involve a consumer accessing a vendor's server computer

would involve a consumer accessing a vendor's server computer through his World Wide Web browser, and downloading a page from that server that offers a lamp for twenty dollars. The consumer could purchase the lamp by entering his credit card information (optionally in a secure manner such as through encryption) into his browser and transmitting the information to the vendor's server by the Internet. The server computer would validate the transaction by clearing the credit card number with a central clearinghouse, and after receiving approval for payment, arrange to have the lamp shipped to the consumer. As in a direct mail purchase scenario, the consumer receives the lamp in due course and is billed on his credit card, and the vendor receives payment from the credit card company for the transaction. Of course, there are numerous ways to execute payment for the goods and services that offer various degrees of security and ease of use, but the paradigm of electronic goods selection and payment remains constant for any such type of payment methodology.

The above scenario has become popular for the increased convenience and lower cost it provides for both the consumer as well as the vendors. Any consumer having access to the Internet could use the system, and any vendor having access to the Internet can make his goods or services available for purchase. This scenario does not allow, however, for the use of a purchase incentive system such as coupons that are prevalent in marketing today. That is, the coupon system, that gives certain consumers discounts for select products at the point of purchase, is not provided for in the e-commerce system. Although a vendor could provide discounts to online purchasers at the point of sale (i.e. after he has logged on to the site), there exists no method of

providing coupon-type incentives to consumers to go online and actually initiate the online transaction to receive the discount for the online purchase.

5                   It is therefore an object of the invention to provide a system that allows vendors to provide purchase incentives such as coupons to users to entice them to access a vendor's Internet site and execute an online transaction.

10                   It is also an object of the invention to provide a system that allows the dissemination of traditional printed coupons that could be linked to incentives for online purchases.

15                   It is a further object of the present invention to provide such a system that allows for targeted couponing such that certain targeted consumers would receive a first type of purchase discount, and certain other targeted consumers would receive a different type of purchase discount.

20

#### DISCLOSURE OF THE INVENTION

25                   The present invention is a method for providing purchase incentives or discounts in an online e-commerce transaction comprising the steps of printing a discount coupon, the coupon comprising human readable information describing at least part of the incentive or offer, product information, vendor information, or the like, and a machine-readable symbol such as a linear or two-dimensional bar code symbol. The symbol is encoded with data fields comprising a  
30                   first identifier associated with the Internet Protocol address of a vendor's host computer, optionally, a second identifier associated with a discount amount to be applied to a product

or group of products, optionally, a third identifier associated with the consumer for whom the discount coupon has been targeted, and optionally, an instruction for a computer to launch a client program enabling access to the online system, such as a World Wide Web browser program. The method also comprises the steps of disseminating the discount coupon to a targeted consumer or group of consumers, or optionally to the public in general; scanning the machine-readable coupon symbol at the consumer's computer; decoding the scanned data to generate the vendor's IP address; launching the client program to enable access to the online system; communicating with the vendor's host computer by utilizing the decoded IP address; and downloading a file from the vendor's host computer associated with the scanned coupon, the file containing information relating to the discount to be applied to enable the user to make a purchase decision. If the user elects to make an online purchase, then said election is communicated to the vendor's computer, the discount related to the coupon is applied and a payment and delivery process is executed to enable the vendor to collect the purchase price and the user to obtain the purchased product.

#### BRIEF DESCRIPTION OF THE DRAWINGS

These and other objects and features of the invention will be described in relation to the drawings.

Figure 1 is a block diagram of the system of the present invention;

Figure 2 is a flowchart of the coupon generation process; and

Figure 3 is a flowchart of the coupon scanning and online redemption process.

**BEST MODE FOR CARRYING OUT THE INVENTION**

5           The preferred embodiment of the present invention will now be described in detail with reference to the Figures. The dotted line portion ("Online Coupon generation") relates to the generating and printing of e-commerce coupons 2 that will be useful for scanning and providing a discount for an  
10   online e-commerce transaction. The coupon is comprised of two portions; a human-readable portion 2a and a machine-readable portion 2b such as a bar code symbol. The human-readable portion contains information such as text and/or graphics that typically are found on a coupon or other type of incentive or  
15   advertisement such as the vendor's name, product information, etc. The coupon 2 should also inform the user that the scanning of the bar code on his computer will enable a discount for an online purchase. The discount amount may be  
20   shown, or it optionally may be not shown so that the user is enticed to go online in order to learn the discount amount at the online "point-of purchase".

          The machine-readable portion 2b would typically be a linear or two-dimensional bar code such as a PDF417 bar code,  
25   which is well known in the art. Of course, any bar code having enough information density to be encoded with the required information, and potentially the optional information to be described herein, can be used within the spirit and scope of the present invention. In addition, other types of  
30   machine-readable symbols or tokens may be used as well.

The bar code symbol is encoded with various fields of information, depending on the mode utilized by the vendor printing the coupon. The data fields that may be encoded into the bar code symbol are described as follows:

5  
1. Vendor IP address - The Internet Protocol (IP) address is encoded in order to enable the user's computer to access automatically the vendor's host computer. The IP address may be directly encoded in IP protocol (aa.bb.cc.dd  
10 format), or the URL of the vendor may be used (http://www.company.com), which must be resolved into the IP address by the Internet Domain Name system as well known in the art.

15 Referring to co-pending U.S. patent application serial no. 08/967,383, which is incorporated by reference herein, a two-dimensional bar code such as a PDF417 bar code symbol may be used to advantageously encode a relatively large amount of data, including the URL of the target vendor as well  
20 as the resource identifier that indicates to the vendor's server computer the identity of the resource (i.e. product offer) to be utilized, demographic information related to the user to whom the coupon offer has been targeted, and an optional encryption key that may be used by the client (user)  
25 computer to encode his credit card number for use in executing the online transaction. A targeted discount amount may also be included so that different users can be provided with different discounts or other types of incentives.

30 The inclusion in the bar code symbol of an encryption key is especially useful in this embodiment, since it allows the user to encrypt sensitive information such as



his credit card number, and then transmit it with the http request for the product offer over the Internet. Since the vendor knows the encryption key that the user has used (either because the vendor distributes only one such key or because he can look up the key locally or remotely by using the associated demographic information received with the http request), he can easily decrypt the credit card number (or other sensitive information such as a bank account number) to complete the transaction. The user can thus complete a sensitive purchase transaction over the Internet without fear of sensitive information being misappropriated by an unscrupulous eavesdropper.

U.S. patent application serial no. 09/023,918, which is also incorporated by reference herein, discloses an alternative mode of embedding vendor computer location information into the target bar code. As taught therein, the IP address itself (in well known "aa.bb.cc.dd" format) may be encoded within the bar code so as to avoid the need to utilize the domain name system for looking up the IP address from the mnemonic (such as www.acme.com). In this case, the target file ID or pointer may also be encoded within the bar code so as to enable the user to download the proper resource (file) from the vendor server computer located at the encoded IP address. The use of this type of encoding also allows the use of a smaller bar code, such as a linear or one-dimensional bar code. The use of a linear bar code enables a simpler type of bar code scanner to be utilized by the consumer than in the previous case of the two-dimensional bar code.

In another alternative, a pointer or resource code may be encoded, that can be used by the user's computer to

resolve (i.e. look-up) the URL at a local or remote database configured to provide such information. Thus, the word "acme" may be encoded in the bar code, and the user's computer could perform a look-up (remotely or locally) to obtain the URL or IP address associated with that identifier. The use of a shorthand identifier is particularly useful when trying to pack the data fields into a small symbol such as a linear bar code. In particular, published international patent application No. PCT/US97/10689 (WORLD WIDE WEB BAR CODE ACCESS SYSTEM), which is incorporated by reference herein, discloses such a system that implements the use of a resource link code embedded in a bar code, that can be scanned and used to fetch an associated URL from an external or internal database of URLs.

Alternatively, use may be made of existing bar codes such as UPCs (Uniform Product Codes), that already exist on products as well as printed coupons. The UPC may be scanned, and an external look-up table or database may be accessed to determine the URL or IP address of the target vendor computer on the Internet. The URL is returned by the database to the user's computer, and is then used in the normal course of operation to access the appropriate computer. In addition, the two constituent portions of the UPC (the manufacturer code and the item code) may be used in the same fashion. That is, the user's computer may strip the manufacturer's code from the scanned UPC, and send it to the external database computer to look-up the appropriate URL for that coupon. The URL is returned to the user's computer, where it is then combined with the item code portion of the decoded UPC to generate a URL or http request accordingly. This is then sent to the appropriate vendor's computer and the online transaction may

proceed accordingly. For this embodiment, reference is made to published PCT patent application No. PCT/US96/10592 (SYSTEM FOR USING ARTICLE OF COMMERCE TO ACCESS REMOTE COMPUTER), which is incorporated by reference herein. In this  
5 embodiment, it is envisioned that the user can purchase a product such as a music CD, scan the UPC already on the CD, and be provided with a Web page that allows him to purchase another (maybe related) CD at a discount, if he consummates the purchase online. Thus, the incentive provided by the  
10 instant invention is realized by simply scanning the product itself rather than a separate coupon.

In yet another embodiment, the entry of a keyword or alias onto a keyboard may be used to effect a discount for an  
15 online purchase, without the need to actually scan a coupon or product. That is, an alias or nickname is entered into the user's computer, and is used to look-up the URL or IP address as mentioned above. Thus, the entry of a predetermined alias such as "CD\_Discount" would return the URL of a special Web  
20 page that offers to the consumer the purchase of a CD at a discount online. The particular discount can be modified on a page by page basis, that would be accessed with different keywords or different look-up maps at different times. By using this embodiment, a vendor could print an ad that  
25 instructs the user to type in the alias on a certain day only, and that he will be provided with a discount on that day only for the online purchase. The instant invention is thus realized without the need to have a scanner at the user's computer; typing in the appropriate keyword suffices to  
30 provide the instant discount for the online transaction. For this reference is made to U.S. Patent No. 5,7604,906, which is incorporated by reference herein.

2. Incentive and/or product resource identifier - An identifier that designates the file location on the vendor's host computer that will provide the product and/or incentive (discount) information to the user. This may be encoded as part of the URL (<http://www.company.com/couponpromo.html>) above, or it may be a separate field. The resource identifier is optional, since the default resource location (e.g. index.html) that the Web browser uses when one is not specified may be used by the vendor to carry the purchase information.

3. Discount identifier - The vendor may include a discount amount (percentage or absolute amount) in the bar code. This is useful in the situation where different discounts will be targeted to different groups of consumers, such as when current customers are given discounts of 10% but new potential customers are given discounts of 20%. The intelligence to apply different discounts may also reside at the server, which could take demographic information and use it to determine the discount.

4. Consumer identifier - The bar code may include data that is specific to a targeted consumer or group of consumers. Thus, for example, bar codes may be printed utilizing a database of specific consumers, so that John Smith's targeted coupon has encoded therein an identifier to inform the vendor's server that John Smith has utilized the coupon (this may be a look-up pointer or the like). This enables the vendor to track coupon redemption for future targeted mailings. Note that consumer identification may also be

uploaded to the vendor by extracting information resident on the user's computer.

5        5. Client application launch command - Optionally, the bar code could be encoded with a command to automatically launch a client application such as a web browser, so that the online purchase process is automated to a greater extent. Thus, for example, in a WINDOWS environment, the user would simply scan the coupon's bar code while in any application (or just at the Windows Desktop), and the Web browser application launch command would be decoded and cause the Web browser resident on the user's computer to execute (and if necessary dial-up the Internet Service Provider preprogrammed by the user). If this option is omitted, then the user would have to  
10        invoke his Web browser in the usual fashion.  
15

      The information described above is input into a bar code generation program 6 suitable for encoding the input fields into a print stream suitable for printing the desired  
20        bar code symbol. This process is well known in the art and need not be described in detail. In addition, optional parameters related to the specific symbology utilized by the invention may be selected at this stage. For example, the PDF417 symbology provides a redundancy-type security feature  
25        that protects against non-decodes of partially damaged symbols. This feature could be utilized by the entity printing the bar codes to promote a robust utilization of the couponing system of this invention.

30        In addition to the bar code print data stream that is generated, a print stream is also generated by document

rendering process 8 that will provide the rendering of the remainder of the printed coupon; i.e. the human-readable portion. This is also a process that is well known in the art, and need not be described in detail here. For example,  
5 the coupon would likely include a graphic representation of the discounted product, a textual invitation to scan the coupon for an online purchase, an indication of the discount amount, etc.

10 The bar code print stream and the coupon rendering print stream are then input to a print server 10 and/or printer 12 as well known in the art, which will produce the desired online coupon 2 of the present invention. The coupons are disseminated to the public in general, or to a specifically  
15 targeted group of users, in any way desired. Thus, the coupons may be included in a direct mail program, included as inserts in the newspapers or magazines, etc. The coupon may also be printed as part of an advertisement or brochure, magazine, instruction manual included with a product (e.g. a  
20 purchaser of a video game software package could receive a coupon for an online purchase of a joystick), etc.

Once the user has received the online coupon and wishes to make a purchase with it, he must scan the coupon  
25 with a bar code scanner means coupled to his computer. This could be by the use of a dedicated bar code scanner such as a laser scanning device (such as one of a variety of devices marketed by Symbol Technologies, Inc.) or an equivalent CCD scanning device. In the preferred embodiment, a general-  
30 purpose document page scanner 14 (such as any of a variety of such device marketed by Hewlett-Packard) may be used by the present invention. The scanning device provides an electrical

signal that is proportional to the bars and spaces of the scanned bar code symbol, and a decoder program running on the computer 16 (or embedded in the dedicated scanner) examines the patterns of bars and spaces to arrive at the original data encoded by vendor at the coupon generation stage described above. The scanning and decoding processes are well known in the art and need not be described in detail here.

The actions taken next depend on the data that has been decoded from the bar code symbol. If the Web browser launch command has been included, then the user's Web browser is invoked, or else the user must manually invoke the browser by a point-and-click action well known in the art. Once the user's computer is connected to the Internet, the IP address decoded from the bar code symbol is used to access the vendor's server computer. Of course, if only a URL had been included, then the browser must first invoke the Domain Name Resolution process as well known in the art in order to obtain the correct IP address of the vendor. Similarly, if only a pointer or resource code had been encoded, that is then used by the user's computer to resolve (i.e. look-up) the URL at a local or remote database configured to provide such information.

Once the vendor's host server computer has been accessed, the resource associated with the coupon is downloaded to the user's browser in a manner well known in the art. The user can view the information regarding the item or items available for purchase, as well as the pricing and discount or other information, and make his purchase choice based on this data. If the user decides to purchase the item, he will be provided with the discount and make payment in one

of any number of Internet payment systems, or by any conventional such as C.O.D., telephone call with a credit card number, etc. All that is required is that the user is provided with a discount on the purchase price due to his use of the online coupon.

The discount amount may be obtained directly from a data packet transmitted with the user's HTTP request to access the vendor's file. That is, the discount amount may be obtained directly from the coupon, which is useful when the vendor desires to provide different discount amounts to differently targeted users. If all discounts are to be the same, then that intelligence may be kept on the vendor's sever. In this case, the vendor would be provided with some type of identifier from the scanned coupon that indicates the discount should be applied. In the alternative, the resource obtained by the user by scanning the coupon may be available only through a password embedded in the coupon, such that only targeted users will be able to access that Web page. Many ways of providing a discount amount are thus envisioned by the present invention.

Of particular value to the vendor in the present invention is the collection of demographic data regarding coupon redemption and usage. Thus, it is desired that information regarding the identity of the user be provided to the vendor's server during the transaction. As explained above, some or all of the demographic information (e.g. name, age, sex, address, hobbies, occupation, income level, etc.) could be included with the data encoded into the bar code, if such information is available to the vendor beforehand. In this case, the vendor might have a database of potential



users, each of whom would be targeted with the online coupons. The vendor could then make intelligent decisions regarding future coupon targeting, since it will know (1) who was sent the coupons, (2) who accessed the purchase offer online, and  
5 (3) who actually made the purchase. In the alternative to including the demographics in the bar code, a consumer ID may be included, which can be linked by the vendor in its database to obtain the above redemption information.

10 If non-targeted mailings are implemented (i.e. where everyone is provided with the same bar code coupon), then the vendor will likely want to obtain some demographic information from the user upon consummation of the online purchase. Thus, the vendor would require a form to be filled out by the user,  
15 which would be sent to the vendor for inclusion in its database and use in later mailings.

A detailed example will help explain the present invention. The Acme Software Company runs a Web site at  
20 <http://www.acmesoft.com>, and in particular provides a special offer to registered users of its SpreadSheet software that would allow it to obtain its DataBase software by an online purchase at a discounted price. If the user had indicated in its SpreadSheet registration form that it uses a competitive  
25 brand of database software, then it applies a \$20 discount, and if the user had indicated in its SpreadSheet registration form that it never used any type of database software, then it applies only a \$10 discount. Acme prints a coupon for mailing to these registered SpreadSheet users that will receive the  
30 \$20 discount that includes the following fields:

<u>IP ADDRESS</u>	<u>RESOURCE ID</u>	<u>DISCOUNT</u>	<u>CONSUMER ID</u>
http://www.acmesoft.com	/databaseoffer.html	20	12345

5                John Smith, a registered user with Acme consumer ID  
number 12345, receives this coupon in the mail and is enticed  
into purchasing the DataBase software package by reading the  
accompanying text offer. He passes the coupon under his page  
scanner attached to his computer, and a bar code decoding  
10              program is automatically invoked. He then dials-up his  
Internet Service Provider (this example does not include the  
launch command), and the page  
"http://www.acmesoft.com/databaseoffer.html" is loaded by his  
browser. After reading the enticing offer on the screen, he  
15              clicks on a "purchase" button and provides his credit card  
number in an encrypted format. He receives the software at  
the normal price minus the discount of \$20.

              In this process, Acme is provided with his consumer  
20              ID to verify that this consumer should in fact be receiving  
the discount. Acme also know has knowledge that Mr. Smith  
received the offer, acted on it, and executed it. Acme may  
then utilize this data in future coupon campaigns.

25

**CLAIMS**

1. In an internetworked computer system comprising at least one user computer and at least one vendor computer  
5 connected thereto, a method for providing purchase discounts in an online transaction between a user computer and a vendor computer comprising the steps of:

a) printing a discount coupon, the coupon comprising  
10 printed indicia associated with the network address of the vendor computer,

b) disseminating the discount coupon to a user;

c) inputting the indicia to the user computer;

d) processing the indicia input to the user computer to  
15 determine the network address of the vendor computer;

e) communicating with the vendor computer by utilizing the determined network address;

f) downloading from the vendor computer to the user  
20 computer a file associated with the input indicia, the file containing information relating to the discount to be applied to an online transaction to enable the user to make a purchase decision.

2. The method of claim 1 wherein said printed indicia  
25 comprises human readable information.

3. The method of claim 2 wherein said human readable  
30 information comprises information that describes at least part of the transaction discount offer.

4. The method of claim 2 wherein said human readable information comprises an alias associated with the network address of the vendor computer.
- 5 5. The method of claim 4 wherein said step of inputting the indicia comprises typing said alias on a keyboard of said computer.
6. The method of claim 5 wherein said step of  
10 processing the indicia input to the user computer comprises the step of looking up the vendor computer network address in a database table, said network address being correlated to said alias.
- 15 7. The method of claim 1 wherein said printed indicia comprises a machine readable code.
8. The method of claim 7 wherein said machine readable code is a two-dimensional bar code symbol.
- 20 9. The method of claim 8 wherein said two-dimensional bar code symbol is encoded with the URL of the vendor computer.
- 25 10. The method of claim 8 wherein said two-dimensional bar code symbol comprises information specific to the user.
- 30 11. The method of claim 8 wherein said two-dimensional bar code symbol comprises an encryption key sufficient to enable the user to encrypt sensitive

information useful for inclusion with the online transaction.

5 12. The method of claim 7 wherein said machine readable code is a linear bar code symbol.

13. The method of claim 12 wherein said linear bar code symbol comprises the IP address of the vendor computer.

10 14. The method of claim 13 wherein said linear bar code further comprises an identifier associated with a resource to be obtained from the vendor computer, the resource containing information relevant to the  
15 online transaction discount.

15. The method of claim 7 wherein said machine readable code comprises a resource pointer, said resource pointer associated with a network address of said  
20 vendor computer.

16. The method of claim 15 wherein said step of processing the indicia input to the user computer comprises the step of looking up the vendor computer  
25 network address in a database table, said network address being correlated to said resource pointer.

17. The method of claim 12 wherein said linear bar code symbol is a UPC symbol comprising a manufacturer  
30 identification field and a product identification field.

18. The method of claim 17 wherein said UPC symbol is processed by

5 parsing the manufacturer identification field;  
looking up in a database table a network  
address associated with said manufacturer  
identification field; and  
generating a file request with said network  
address and said product identification field.

10 19. The method of claim 1 wherein information specific  
to the user is communicated to the vendor computer.

15 20. The method of claim 19 wherein said user-specific  
information is utilized to determine the discount  
amount to be offered for said online transaction.


21. The method of claim 19 wherein said user-specific  
information is obtained from the coupon.

20 22. The method of claim 19 wherein user-specific  
information is obtained from a resource outside the  
coupon.

25 23. The method of claim 1 wherein the discount  
information is determined from data received from  
the coupon.

30 24. The method of claim 1 wherein, if the user elects to  
make an online purchase, the election is  
communicated to the vendor's computer, and the

discount related to the coupon is applied to the transaction.








FIG.2




FIG.3

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**